General Cleaning Spray

Technical Data Sheet (TDS)

Areas of Use

- General-purpose cleaner for cleaning and degreasing small components and spare parts in the automotive and industrial sectors.
- It can be used on brakes, clutches, calipers in the brake lining system, and also clutch components in the brake master cylinder.
- Removes oil and grease stains from surfaces.
- It makes your assembly work easier, cleaner, and safer.
- Due to its high penetration, it offers controlled and clean evaporation.
- Residue-free cleaning.
- You can also use the bottle 180° upside down.

Directions for Use

- Shake well before use.
- Spray on to dirty parts components and wait for them to penetrate.
- Dry the parts outdoors or by wiping them with a dry cloth.
- Repeat the process several times in heavily soiled areas.
- Spray parts with compressed air to dry, if necessary.
- Contains ozone friendly contents that does not harm the environment.

Packaging Specifications

Size	Carton Dimensions	Pcs / Carton	Per Pallet
500 ML	405×270×245 mm	24 pcs	1680 pcs

AUTO CHER OTO BAKIM LİMİTED ŞİRKETİ · İçerenköy, Çetinkaya Sk. No:17, 34752 Ataşehir / Istanbul, Türkiye
Tel: +90 216 575 00 84 · Mobile / WhatsApp: +90 533 818 42 32 · info@autocher.com.tr · autocher.com.tr

Physical and Chemical Properties

Appearance	**Aerosol**
Colour	**not available**
Odour	**Characteristic**
Melting point / freezing point	**not available**
Initial boiling point	**not available**
Flammability	**not available**
Explosive properties	**Risk of explosion at temperatures above 50°C**
Lower explosive limit	**not available**
Upper explosive limit	**not available**
Flash point	**not available**
Auto-ignition temperature	**not available**
Decomposition temperature	**not available**
pH	**not available**
Kinematic viscosity	**not available**
Solubility	**Insoluble in water**
Partition coefficient: n-octanol/water	**not available**
Vapour pressure	**not available**
Density and/or relative density	**0.7-0.75 g/mL**
Relative vapour density	**not available**
Particle characteristics	**not applicable**

Consumer Information

Hazard Statements (H)

- H222 Extremely flammable aerosol.
- H229 Pressurised container: may burst if heated.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H351 Suspected of causing cancer.
- H361f Suspected of damaging fertility.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements (P)

Prevention

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.

- P280 Wear protective gloves/ protective clothing / eye protection / face protection.

Response

- P331 Do NOT induce vomiting.

Storage

- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C / 122°F.